

SORALUCE SL 6000 TNC 430
FA01490

CAT: Bed milling machines - Bed milling machine (moving table)



FEATURES

Spindle taper: ISO 50

Saddle travel: 1000 mm

Table dimension: 6000x800 mm

CNC: TNC 430

Power inst. or motor: mandrino 28 KW

Longitudinal travel: 4500 mm

Vertical travel: 1600 mm

Spindle speed: 3000 rpm

n° of Tool change post.: 60

TECHNICAL DATA

SPINDLE TAPER ISO 50

TABLE MM. 6000x800

HEIGHT OF TABLE FROM GROUND MM.870

LONG. TRAVEL MM.4500

CROSS TRAVEL MM. 1000

VERT. TRAVEL MM.1600

SPINDLE POWER KW. 28

SPINDLE SPEED RPM 3000

WORK FEEDS MM/MIN.5000

RAPID FEEDS MM/MIN.15000

APPROX. WEIGHT KG.20000

STANDARD EQUIPMENT

CNC HEIDENHAIN TNC 430

CHIP CONVEYOR

AUTOM UNIVERSAL HEAD 2,5° AXES A & B

LUBRICATION PUMP

ELECTRONIC HAND WHEEL

TOOLS CHANGER 60 POS

* Data not binding and must be verified.







